

Response to Office Action  
Application Serial No. 10/829,356  
Page 2

RECEIVED  
CENTRAL FAX CENTER  
JAN 24 2007

**Amendments to the Claims**

**This listing of claims will replace all prior versions, and listings of claims in the application.**

1. (previously presented) A stud comprising:
  - a first surface for abutting against a concrete wall;
  - an anchoring system for anchoring the first surface to a form tie protruding from the concrete wall; and
  - a lateral web extending from the first surface for receiving and retaining insulation adjacent to the concrete wall.
2. (previously presented) The stud according to claim 1, further comprising a second surface disposed on the lateral web opposite to the first surface for supporting a finishing treatment.
3. (previously presented) The stud according to claim 2 wherein the lateral web extends between the first and second surfaces at right angles thereto.
4. (previously presented) The stud according to claim 1 wherein the anchoring system includes a form tie receptacle and an anchor for engaging a hole in the form tie.
5. (previously presented) The stud according to claim 4 wherein the anchor is a tab located within the receptacle.
6. (previously presented) The stud according to claim 4 wherein the form tie receptacle includes an opening for alignment with the hole in the form tie, and wherein the anchor is placed through the opening and through the hole when aligned to anchor the stud to the form tie.
7. (previously presented) The stud according to claim 1, wherein the first surface comprises first and second flanges extending outwardly from the lateral web.
8. (previously presented) The stud according to claim 7, wherein the flange includes an aperture through which a nail may be driven to secure the flange against the concrete wall.
9. (previously presented) The stud according to claim 1 wherein the stud is a moulded plastic stud.
10. (currently amended) A method for affixing a stud to a concrete wall, the method comprising the steps of: placing a stud in proximity to a concrete wall such that the stud engages a form tie protruding from the concrete wall the stud having a first surface for abutting against a concrete

Response to Office Action  
Application Serial No. 10/829,356  
Page 3

wall, an anchoring system for anchoring the first surface to the form tie protruding from the concrete wall and a lateral web extending from the first surface for receiving and retaining insulation adjacent to the concrete wall; and anchoring the stud to the form tie.

11. (previously presented) The method of claim 10, further comprising the steps of aligning an opening in the stud with a hole in the form tie; and inserting an anchor through the aligned opening and hole.

12. (previously presented) The method according to claim 11 wherein the anchor includes fins to prevent removal of the anchor once inserted.

13. (previously presented) The method of claim 10 further comprising the step of spraying foam insulation against the wall.

14. (previously presented) The method of claim 10 further comprising the step of attaching a finishing treatment to the stud.

15. (previously presented) The method of claim 14 wherein the finishing treatment is vinyl siding, stucco, wallboard, or brick.

16. (previously presented) The method according to claim 10 wherein the stud includes a web surface extending parallel to the plane of form tie engagement.

17. (previously presented) The method of claim 10 wherein the stud is placed flush with the concrete wall along an edge surface of the stud.

18. (currently amended) A kit for finishing a surface of a concrete wall, the kit comprising a plurality of studs for attachment to form ties protruding from the concrete wall and a plurality of anchors for anchoring the studs to the form ties, the studs including :

a first surface for abutting against the concrete wall;

an anchoring system for anchoring the first surface to the form ties protruding from the concrete wall; and

a lateral web extending from the first surface for receiving and retaining insulation adjacent to the concrete wall.

19. (previously presented) A kit as in claim 18 further comprising an opening trim member, the opening trim member for operative engagement with a concrete wall adjacent an opening, the trim member including an abutting surface for abutting an opening in a concrete wall, an extension member extending angularly from the abutting surface a second extension member for supporting attachment of a finishing surface.

Response to Office Action  
Application Serial No. 10/829,356  
Page 4

20. (previously presented) A kit as in claim 18 further comprising a corner stud for attachment to a wall corner, the stud including first and second wall contacting surfaces and first and second web surfaces extending outwardly from the first and second wall contacting surfaces, the first and second web surfaces interconnected by a hinge.